

# Procedures of Low Clinical Priority (NHS Cheshire and Merseyside Commissioning Policy)

Version 8 – 26 September 2025

#### NOTE:

April 2023 – Document updated to reference Cheshire and Merseyside Integrated Care Board (ICB) harmonized policies.

**September 2023** – Document updated to include hyperlinks to ICB harmonized policies.

**18 March 2024** – Document updated to include additional hyperlinks to ICB harmonised policies.

17 July 2024 – Document updated to reinsert unilateral breast reduction policy and update IFR Team telephone number and address

**10 June 2025** – Document updated to include additional hyperlinks to ICB harmonised policies.

**25 September 2025** – Updated document to include interim varicose veins policy.

Ref:	NHSCMICB-v01-26/09/2025
Version:	8
Purpose	This document is part of a suite of policies that the Integrated Care Board (ICB) uses to drive its commissioning of healthcare. Each policy in that suite is a separate public document in its own right but will be applied with reference to other policies in that suite.
Previous CCG PLCP documents for – NHS Cheshire West CCG, NHS Cheshire East CCG, N CCG, NHS Halton CCG, NHS Knowsley CCG, NHS St Helens CCG, NHS Liverpool CCG, NH and NHS Wirral CCG.	
Author (inc Job Title): Midlands and Lancashire Commissioning support Unit – Policy Development Programme	
Ratified by: (Name of responsible Committee)	NHS Cheshire and Merseyside Integrated Care Board
Date Ratified/Updated:	April 2019 / 17 July 2024 / June 2025 / September 2025
Date Published and where (Intranet or Website):	September 2025 (Website)
Review date:	2026 - 2030
Target audience:  All Cheshire & Merseyside NHS organisations and staff	

Document control:			
Date: Version Number:		Section and Description of Change	
2017	1	First published by individual CCG organisations NHS Eastern Cheshire, NHS West Cheshire, NHS South Cheshire and NHS Vale Royal.	
April 2019	2	Single policy adopted and ratified by NHS Cheshire CCG	
April 2023	Policy amended to illustrate removal of policy positions as superseded by Chepolicies 01/04/2023 as referenced and as listed in Appendix 5. Readers should note the following standalone NHS Cheshire CCG commission documented separately, outside of this document, these will be subject to revious ICB's policy harmonisation programme of work:  Continuous Glucose Monitoring Gluten Free Subfertility		
		Policy document amended to include hyperlinks to ICB policies (Phase 1).	
18 March 2024	5	Policy document amended to include additional hyperlinks to ICB policies (Phase 2).	
17 July 2024	6	Policy document amended to reinsert unilateral breast reduction policy and amend IFR Team telephone number, email and address	
10 June 2025	7	Policy document amended to include additional hyperlinks to ICB policies (Phase 3).	
26 September 2025	8	Document updated to include interim policy for varicose veins	

# Contents

A.	INTRODUCTION	12
B.	CORE CLINICAL ELIGIBILITY	13
C.	REFERRAL & APPROVAL PROCESS	13
D.	EXCEPTIONALITY	15
E.	PSYCHOLOGICAL DISTRESS	15
F.	PERSONAL DATA (INCLUDING PHOTOGRAPHS)	16
G.	MEDICINES MANAGEMENT	16
H.	EVIDENCE	17
I.	POLICIES	18
1.	0BComplementary Therapies	18
	19BComplementary Therapies	18
2.	1BDermatology	18
	20BSkin Resurfacing Techniques (including laser dermabrasion and chemical peels)	18
	21BSurgical or Laser Therapy Treatments for Minor Benign Skin Lesions e.g. sebaceous cyst	18
	22BTreatments for Skin Pigment Disorders	18
	23BSurgical/Laser Therapy for Viral Warts (excluding Genital Warts) from Intermediate Tier/ Secondary Care Providers	18
	24BSecondary Care treatment for Acne Vulgaris	19
	25BPMLE (Polymorphic Light Eruption) Treatment - Desensitising Light Therapy using UVB (ultra-violet shortwave) or PUVA (Psoralen combined with UVA	١) 19
3.	2BDiabetes	19
	26BContinuous Glucose Monitoring (CGM) Systems for Continuous Glucose Monitoring in Type 1 Diabetes Mellitus	19
	27BMonogenic Diabetes Testing Maturity Onset Diabetes of the Young (MODY)	19
4.	3BENT	19
	28BAdenoidectomy	19
	29BPinnaplasty – for Correction of Prominent Ears	20

	30BInsertion of Grommets for Glue Ear (otitis media with effusion)	20
	31BTonsillectomy for Recurrent Tonsillitis (excluding peri- tonsillar abscess) Adults and Children	20
	32BSurgical Remodelling of External Ear Lobe	20
	33BUse of Sinus X-ray	20
	34BRhinoplasty - Surgery to Reshape the Nose	20
	Septorhinoplasty	20
	35BSurgery of Laser Treatment of Rhinophyma	20
	37BEar Wax removal including microsuction (excluding primary care)	2
5.	4BEquipment	2
	38BUse of Lycra Suits	2
6.	5BFertility	2
	39BInfertility Treatment for Subfertility e.g. medicines, surgical procedures and assisted conception. This also includes reversal of vasectomy or female sterilisation.	2 <sup>2</sup>
7.	6BGeneral Surgery	2
	40BHaemorrhoidectomy - Rectal Surgery	2
	41BSurgery for Treatment of Asymptomatic Incisional and Ventral Hernias	2
	42BSurgical correction of Diastasis of the Recti	2
	43BSurgery for Asymptomatic Gallstones	2
	44BLithotripsy for Gallstones	2
	45BRectopexy and STARR (Stapled Transanal Resection of the Rectum)	2
8.	7BGynaecology	2
	46BSurgical Procedures – for the Treatment of Heavy Menstrual Bleeding	2
	47BHysterectomy with or without Oophrectomy	2
	48BD&C (dilatation and curettage)	2
	49BHysteroscopy	2
	50BFibroid Embolisation / uterine artery embolisation	2

	51BSurgical correction of vaginal/ uterovaginal prolapse	23
	52BSecondary Care follow up of mirena coil insertion	23
9.	8BMental Health	23
	53BInpatient Care for Treatment of Chronic Fatigue Syndrome (CFS)	23
	54BGender Dysphoria	23
	55BNon-NHS Drug and Alcohol Rehabilitation (non-NHS commissioned services)	23
	56BPrivate Mental Health (MH) Care - Non-NHS Commissioned Services: including Psychotherapy, adult eating disorders, general in-patient care,post-traumatic stress adolescent mental health	24
10.	9BNeurology	24
	57BBobath Therapy	24
	58BTrophic Electrical Stimulation for Facial/Bells Palsy	24
	59BFunctional Electrical Stimulation (FES)	24
11.	10BOphthalmology	24
	60BUpper Lid Blepharoplasty - Surgery on the Upper Eyelid	25
	61BLower Lid Blepharoplasty - Surgery on the Lower Eyelid.	25
	62BSurgical Treatments for Xanthelasma Palpebrum (fatty deposits on the eyelids)	25
	63BSurgery or Laser Treatment for Short Sightedness (myopia) or Long Sightedness (hypermetropia)	25
	64BCataract Surgery	25
	65BColoured (irlens) Filters for Treatment of Dyslexia	25
	66BIntra Ocular Telescope for Advanced Age- Related Macular Degeneration	25
	67BSurgical Removal of Chalazion or Meibomian Cysts	26
	68BSurgical treatment for Proptosis/ Dysthyroid eye disease	26
	69BPhotodynamic Therapy for ARMD	26
	70BMultifocal (non- accommodative) intraocular lenses	26
12.	11BOral Surgery	26
	71BSurgical Replacement of the Temporo- Mandibular Joint	26

	72BTemporo-Mandibular Joint Dysfunction Syndrome & Joint Replacement	26
13.	12BPaediatrics	26
	73BCranial Banding for Positional Plagiocephaly	26
14.	13BPlastic & Cosmetic Surgery	27
	74BReduction Mammoplasty - Female Breast Reduction	27
	75BAugmentation Mammoplasty - Breast Enlargement	27
	76BRemoval and/or Replacement of Silicone Implants - Revision of Breast Augmentation	27
	77BMastopexy - Breast Lift	30
	78BSurgical Correction of Nipple Inversion	30
	79BMale Breast Reduction Surgery for Gynaecomastia	30
	80BHair Removal Treatments including Depilation	30
	81BLaser Treatment or Electrolysis – for Hirsutism	30
	82BSurgical Treatment for Pigeon Chest	30
	83BSurgical Revision of Scars	31
	84BLaser Tattoo Removal	31
	85BApronectomy or Abdominoplasty (Tummy Tuck)	31
	86BOther Skin Excisions/ Body Contouring Surgery e.g. Buttock Lift, Thigh Lift, Arm Lift (Brachioplasty)	31
	87BTreatments to Correct Hair Loss for Alopecia	31
	88BHair Transplantation	31
	89BTreatments to Correct Male Pattern Baldness	31
	90BLabiaplasty, Vaginoplasty and Hymenorrhaphy	31
	91BLiposuction	32
	92BRhytidectomy - Face or Brow Lift	32
	93BAII procedures undertaken on cosmetic grounds	32
15.	14BRespiratory	32
	94BTreatments for Snoring Soft Palate Implants and Radiofrequency	32

	95BAblation of the Soft Palate	32
	96BSodium Tetradecyl Sulfate (STS) Injection or 'snoreplasty'	32
	97BUvulopalatoplasty and Uvulopalatopharyngopl asy	32
	98BInvestigations and treatment for Sleep Apnoea	32
	99BSleep studies/ Hypersomnia	33
16.	15BTrauma & Orthopaedics	33
	100BLow back pain and sciatica in over 16's Diagnostic, Interventions and Treatments for acute and chronic low back pain	33
	103BRadiofrequency Facet Joint Denervation	33
	104BFusion	33
	105BEpidural Injection	33
	106BSpinal Decompression	33
	107BEndoscopic Laser Foraminoplasty	33
	108BPeripheral Nerve-field Stimulation (PNFS) for Chronic Low Back Pain	34
	109BEndoscopic Lumbar Decompression	34
	110BPercutaneous Disc Decompression using Coblation for Lower Back Pain	
	111BNon-Rigid Stabilisation Techniques	34
	112BLateral (including extreme, extra and direct lateral) Interbody Fusion in the Lumbar Spine	34
	113BPercutaneous Intradiscal Laser Ablation in the Lumbar Spine	34
	114BTransaxial Interbody Lumbosacral Fusion	34
	115BTherapeutic Endoscopic Division of Epidural Adhesions	35
	116BAutomated Percutaneous Mechanical Lumbar Discectomy	35
	1178Prosthetic Intervertebral Disc Replacement in the Lumbar Spine	35
	118BBone Morphogenetic Proteins - Dibotermin Alfa; Eptotermin Alpha	35
	119BSurgery for Trigger Finger	36
	120BHyaluronic Acid and Derivatives Injections for Peripheral Joint Pain	36
	121BSecondary Care Administered Steroid Joint Injections	36

122BDupuytren's Disease Palmar Fasciectomy/Needle Faciotomy	36
123BRadiotherapy Collagenase Injections for Dupuytren's Disease	36
124BDupuytren's Disease Surgical treatment	36
125BDupuytrens Contracture – conservative treatment	36
126BHip and Knee Replacement Surgery & Hip Resurfacing	37
127BDiagnostic Arthroscopy for Arthritis of the Knee	37
128BArthroscopic Lavage and Debridement for Osteoarthritis of the Knee	37
129BPatient Specific Unicompartmental Knee Replacement	37
130BPatient Specific Total Knee Replacement	37
131BSurgical Treatment for Carpal Tunnel Syndrome	37
132BNerve Conduction Studies for Carpal Tunnel Syndrome	37
133BSurgical Removal of Mucoid Cysts at Distal Inter Phalangeal Joint (DIP)	38
134BSurgical Removal of Ganglions	38
135BHip Arthroscopy for Femoro–Acetabular Impingement	38
136BSurgical Removal of Bunions/Surgery for Lesser Toe Deformity	38
137BSurgical Treatment of Morton's Neuroma	38
138BSurgical Treatment of Plantar Fasciitis	38
139BTreatment of Tendinopathies Extracorporeal Shock Wave Therapy Autologous Blood or Platelet Injection	38
140BInjections for Tendonitis (Jumpers Knee)	39
141BShoulder Arthroscopy (including arthroscopic shoulder decompression for subacromial shoulder pain)	39
142BHip Injections	39
16BUrology	39
143BCircumcision	39
144BPenile Implant: A Surgical Procedure to Implant a Device into the Penis	39
145BErectile Dysfunction – secondary care	39
146RMale sterilisation under Local Anaesthetic	40

17.

	147BMale sterilisation under General Anaesthetic	40
	148BReversal of Male Sterilisation	40
	149BESWT (extracorporeal shockwave therapy) for Prostadynia or Pelvic Floor Syndrome	40
	150BHyperthermia Treatment for Prostadynia or Pelvic Floor Syndrome	40
	151BSurgery for Prostatism	40
	152BSurgical treatment for Hydroceles – adults and children	40
	153BSurgical removal of benign epididymal cysts	40
18.	17BVascular	41
	154BSurgery for Extreme Sweating	41
	155BHyperhydrosis – all areas	41
	156BSurgical Resection Endoscopic Thoracic Sympathectomy	41
	157BChelation Therapy for Vascular Occlusions	41
	158BVaricose Veins Interventional Treatments Interim policy	41
19.	18BOther	41
	159BBotulinum Toxin A & B Used in several types of procedures e.g. to treat muscle disorders, excessive sweating hyperhidrosis) and migraine	41
	160BCorrection of privately funded treatment	44
	Planned routine monitoring following Privately Funded Bariatric Surgery	44
	161BOpen MRI	44
J.	Appendix 1 – Cataract Referral Guide	45
	Appendix 2 – IEFR Process	
M.	Appendix 3 – IEFR Panel Contact Details	47
NI.	Appendix 4 – Fusion Surgery – Clinical exceptions permitted	47

#### A. INTRODUCTION

Integrated Care Boards (ICB's) are legally obliged to have in place and publish arrangements for making decisions and adopting policies on whether particular health care interventions are to be accessed. This document is intended to be a statement of such arrangements made by the ICB and act as a guidance document for patients, clinicians and other referrers in primary and secondary care. It sets out the eligibility criteria under which NHS Cheshire and Merseyside ICB will commission the service, either via existing contracts or on an individual basis. It gives guidance to referrers on the policies of the ICB in relation to the commissioning of procedures of low clinical priority, thresholds for certain treatment and those procedures requiring individual approval.

In making these arrangements, the ICB have given regard to relevant legislation and NHS guidance, including their duties under the National Health Service Act 2006, the Health and Social Care Act 2012, Equality legislation – duties discharged under the Public Sector Equality Duty 2011, the National Health Service Commissioning Board and Clinical Commissioning Groups (Responsibilities and Standing Rules) Regulations 2012, the Joint Strategic Needs Assessment, relevant guidance issued by NHS England and the NHS Constitution.

The ICB has a duty to secure continuous improvement in the quality of services and patient outcomes but are also under a duty to exercise their functions effectively, efficiently and economically. Therefore, health benefits must be maximised from the resources available. As new services become available, demand increases and procedures that give maximum health gain must be prioritised. This means that certain procedures will not be commissioned by the ICB unless exceptional clinical grounds can be demonstrated. The success of the scheme will depend upon commitment by GPs and other clinicians to restrict referrals falling outside this protocol.

The NHS Standard Contract requires that the provider must manage referrals in accordance with the terms of any Prior Approval Scheme. If the provider does not comply with the terms of any Prior Approval Scheme in providing a service, the commissioners will not be liable to pay for that service. This includes compliance with terms SC28 to SC31 of the contract which specifically reference procedures included in this policy.

ICB's will not pay for activity unless it meets the criteria set out in the document or individual approval has been given and the Referral and Approval Process as set out has been followed. This prior approval scheme will be incorporated into all NHS standard NHS contracts agreed by ICBs. Compliance with this policy will be monitored via regular benchmarking reports and case note audits.

To support this approach a set of Core Clinical Eligibility Criteria have been developed and are set out below; patients may be referred in accordance with the referral process if they meet these criteria. In some limited circumstances, a 'Procedure of Lower Clinical Priority' (PLCP) may be the most clinically appropriate intervention for a patient. In these circumstances, agreed eligibility criteria have been established and these are explained in the later sections of the document, if the criteria are met the procedure will be commissioned by the ICB.

#### **B. CORE CLINICAL ELIGIBILITY**

Patients may be referred in accordance with the referral process where they meet any of the following Core Clinical Eligibility criteria:

- All NICE Technology Appraisals will be implemented.
- In cancer care (including but not limited to skin, head and neck, breast and sarcoma) any lesion that has features suspicious of malignancy, must be referred to an appropriate specialist for urgent assessment under the 2-week rule.
- Reconstructive surgery post cancer or trauma including burns.
- Congenital deformities: Operations on congenital anomalies of the face and skull are usually available on the NHS. Some conditions are
  considered highly specialised and are commissioned in the UK through the National Specialised Commissioning Advisory Group (NSCAG). As the
  incidence of some cranio-facial congenital anomalies is small and the treatment complex, specialised teams, working in designated centres and
  subject to national audit, should carry out such procedures.
- Tissue degenerative conditions requiring reconstruction and/or restoring function e.g. leg ulcers, dehisced surgical wounds, necrotising fasciitis. Any patient who needs urgent treatment will always be treated.
- No treatment is completely ruled out if an individual patient's circumstances are exceptional. Requests for consideration of exceptional
  circumstances should be made to the patient's responsible ICB see the exceptionality criteria in this policy and the contact details at Appendix
  1.
- Children under 16 years are eligible for surgery to alter appearance, improve scars, excise facial or other body lesions, where such conditions cause obvious psychological distress.

## C. REFERRAL & APPROVAL PROCESS

Interventions specified in this document are not commissioned unless clinical criteria are met, except in exceptional circumstances. Where clinical criteria are met treatment identified will form part of the normal contract activity.

If a General Practitioner/Optometrist/Dentist considers a patient might reasonably fulfil the eligibility criteria for a Procedure of Lower Clinical Priority, as detailed in this document (i.e. they meet the specific criteria listed for each treatment) the General Practitioner/Optometrist/Dentist should follow the process for referral. If in doubt over the local process, the referring clinician should contact the General Practitioner. Failure to comply with the local process may delay a decision being made. The referral letter should include specific information regarding the patient's potential eligibility.

Diagnostic procedures to be performed with the sole purpose of determining whether or not a Procedure of Lower Clinical Priority is feasible should not be carried out unless the eligibility criteria are met or approval has been given by the ICB or GP (as set out in the approval process of the patients responsible ICB) or as agreed by the ICB as an exceptional case.

The referral process to secondary care will be determined by the responsible ICB's. Referrals will either:

Have received prior approval by the ICB.

OR

Clearly state how the patient meets the criteria.

OR

Be for a clinical opinion to obtain further information to assess the patient's eligibility.

GPs should not refer unless the patient clearly meets the criteria as this can raise unrealistic expectations for the patient and lead to disappointment. In cases where there may be an element of doubt the GP should discuss the case with the IFR Team in the first instance.

If the referral letter does not clearly outline how the patient meets the criteria, then the letter should be returned to the referrer for more information and the ICB notified. Where a GP requests only an opinion the patient should not be placed on a waiting list or treated, but the opinion given to the GP and the patient returned to the GP's care, in order for the GP to make a decision on future treatment.

The secondary care consultant will also determine whether the procedure is clinically appropriate for a patient and whether the eligibility criteria for the procedure are fulfilled or not and may request additional information before seeing the patient. Patients who fulfil the criteria may then be placed on a waiting list according to their clinical need. The patient's notes should clearly reflect exactly how the criteria were fulfilled, to allow for case note audit to support contract management. Should the patient not meet the eligibility criteria this should be recorded in the patient's notes and the consultant should return the referral back to the GP with a copy to the ICB, explaining why the patient is not eligible for treatment.

Should a patient not fulfil the clinical criteria but the referring clinician is willing to support the application as <u>clinically exceptional</u>, the case can be referred to the IFR Team for assessment contact details for the IFR team can be found in Appendix 1.

Where the treatment has changed in the middle of a care pathway and a decision to treat has been made based on the old criteria the treatment can be completed i.e. if the patient has been listed for surgery. Where a clinical decision as to the nature of treatment has not yet been made then the new criteria should be applied with immediate effect.

#### D. EXCEPTIONALITY

In dealing with exceptional case requests for an intervention that is considered to be a poor use of NHS resources, the ICB have endorsed through the ICB Alliance the following description of exceptionality contained in a paper by the NW Medicines and Treatment Group:

• The patient has a clinical picture that is significantly different to the general population of patients with that condition **and as a result of that difference**; the patient is likely to derive greater benefit from the intervention than might normally be expected for patients with that condition.

The ICB are of the opinion that exceptionality should be defined solely in clinical terms. To consider social and other non-clinical factors automatically introduces inequality, implying that some patients have a higher intrinsic social worth than others with the same condition. It runs contrary to a basic tenet of the NHS namely, that people with equal need should be treated equally. Therefore non-clinical factors will not be considered except where this policy explicitly provides otherwise.

In essence, exceptionality is a question of equity. The ICB must justify the grounds upon which it is choosing to fund treatment for a particular patient when the treatment is unavailable to others with the condition.

### E. PSYCHOLOGICAL DISTRESS

Psychological distress alone will not be accepted as a reason to fund surgery except where this policy explicitly provides otherwise. Psychological assessment and intervention may be appropriate for patients with severe psychological distress in respect of their body image but it should not be regarded as a route into aesthetic surgery.

Unless specifically stated otherwise in the policy, any application citing psychological distress will need to be considered as an IFR. Only very rarely is surgical intervention likely to be the most appropriate and effective means of alleviating disproportionate psychological distress. In these cases ideally an NHS psychologist with expertise in body image or an NHS Mental Health Professional (depending on locally available services) should detail all treatment(s) previously used to alleviate/improve the patient's psychological wellbeing, their duration and impact. The clinician should also provide evidence to assure the IFR Panel that a patient who has focused their psychological distress on some particular aspect of their appearance is at minimal risk of having their coping mechanism removed by inappropriate surgical intervention.

# F. PERSONAL DATA (INCLUDING PHOTOGRAPHS)

In making referrals to the IFR Team, clinicians and other referrers in primary and secondary care should bear in mind their obligations under the Data Protection Act 1998 and their duty of confidence to patients. Where information about patients (including photographs) is sent to the IFR Team and is lost or inadvertently disclosed to a third party before it is safely received by the IFR Team, the referrer will be legally responsible for any breach of the Data Protection Act 1998 or the law of confidence.

Therefore, please consider taking the following precautions when using the Royal Mail to forward any information about patients including photographic evidence: Clearly label the envelope to a named individual i.e. first name & surname, and job title.

Where your contact details are not on the items sent, include a compliment slip indicating the sender and their contact details in the event of damage to the envelope or package.

Use the Royal Mail Signed for 1st Class service, rather than the ordinary mail, to reduce the risk of the post going to the wrong place or getting lost.

Information in Payment: Costs incurred for photographic evidence will be the responsibility of the referrer. Photographic evidence is often required in cases which are being considered on exceptionality. They are reviewed by clinical member/s of the IFR team only.

#### G. MEDICINES MANAGEMENT

Prior approval for treatment should always be sought from the responsible Medicine Management Team when using medicines as follows:

- Any new PbR excluded drug where the drug has not yet been approved/prioritised for use in agreement with the local ICB.
- Any existing PbR excluded drugs to be used outside of previously agreed clinical pathways/indication.
- Any PbR excluded drugs that are being used out with the parameters set by NICE both in terms of disease scores or drug use. It must not be assumed that a new drug in the same class as one already approved by NICE can be used, this must be subject to the process in Point 1.
- Any drug used out with NICE Guidance (where guidance is in existence).
- Any proposed new drug/new use of an existing drug (whether covered by NICE or PBR excluded or not) should first be approved by the relevant Area Medicines Management Committee, and funding (where needed) agreed in advance of its use by the relevant ICB.
- Any medicines that are classed by the ICB as being of limited clinical value.
- Any medicines that will be supplied via a homecare company agreement.

The Clinical Commissioning Group does not expect to provide funding for patients to continue treatment commenced as part of a clinical trial. This is in line with the Medicines for Human Use (Clinical Trials) Regulations 2004 and the Declaration of Helsinki which stipulates that the responsibility for ensuring a clear exit strategy from a trial, and that those benefiting from treatment will have ongoing access to it, lies with those conducting the trial. This responsibility lies with the trial initiators indefinitely.

NOTE: Funding for all solid and haematological cancers are now the responsibility of NHS England.

Conditions & Interventions: The conditions & interventions have been broken down into speciality groups.

GPs should only refer if the patient meets the criteria set out or individual approval has been given by the ICB as set out in the ICB's process as explained above. Requests for purely cosmetic surgery will not be considered except where this policy explicitly provides otherwise. Patients meeting the core clinical eligibility criteria set out above can be referred, all other referrals should be made in accordance with the specified criteria and referral process. The ICB may request photographic evidence to support a request for treatment.

From time to time, ICB's may need to make commissioning decisions that may suspend some treatments/criteria currently specified within this policy.

Where ICB's have variations in their local clinical policies/pathways or clinical thresholds then this will be highlighted in the comments section indicating there is a local icb addendum.

### H. EVIDENCE

At the time of publication the evidence presented was the most current available. Where reference is made to publications over five years old, this still represents the most up to date view.

# I. POLICIES

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
1.	Complementary The	erapies		
1.1	Complementary Therapies	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB Clin067 – Complementary and alternative therapies		
<b>2.</b> .	Dermatology			
2.1	Skin Resurfacing Techniques (including laser dermabrasion and chemical peels)	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB Clin055 - Treatment (laser or chemical peels) for scarring		
2.2	Surgical or Laser Therapy Treatments for Minor Benign Skin Lesions e.g. sebaceous cyst	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin005 – Benign skin lesions		
2.4	Treatments for Skin Pigment Disorders	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin009 - Camouflage Treatment for Skin Pigmentation and other disorders		
2.5	Surgical/Laser Therapy for Viral Warts (excluding Genital Warts) from Intermediate Tier/ Secondary Care Providers	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin050 - Viral Warts - Referral to Secondary Care		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
2.6	Secondary Care treatment for Acne Vulgaris	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy: <u>CMICB_Clin051 - Acne Vulgaris - secondary care treatment</u>		
2.7 PMLE (Polymorphic Light Eruption) Treatment - Desensitising Light Therapy using UVB (ultra-violet shortwave) or PUVA (Psoralen combined with UVA)  This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB Clin054 - Polymorphic light eruption treatment  CMICB Clin054 - Polymorphic light eruption treatment				
<b>3.</b> .	Diabetes			
3.1	Continuous Glucose Monitoring (CGM) Systems for Continuous Glucose Monitoring in Type 1 Diabetes Mellitus	This policy has been superseded as follows:  At the NHS Cheshire & Merseyside ICB Board Meeting held on 27 October 2022, it was agreed that the former CCG commissioning polices in respect of CGMs be retired, and the recommendations within NICE guidance NG17, NG18 and NG28 be adopted.		
3.2	Monogenic Diabetes Testing Maturity Onset Diabetes of the Young (MODY)	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB Clin031 – Monogenic Diabetes Testing		
4.	ENT			
4.1	Adenoidectomy	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin002 - Adenoidectomy		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments	
4.2	Pinnaplasty – for Correction of Prominent Ears	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin101 - Pinnaplasty for prominent ear			
4.3 Insertion of Grommets for Glue Ear (otitis media  Insertion of Grommets for Glue CMICB_Clin023 – Grommets for glue ear in children			y:		
4.4	with effusion) Tonsillectomy for Recurrent Tonsillitis (excluding peri-	This policy has been superseded b  CMICB_Clin046 – Tonsillectomy	y NHS Cheshire & Merseyside ICB Policy	y:	
tonsillar abscess) Adults and Children  4.5 Surgical This policy has been superseded by NHS			y NHS Cheshire & Merseyside ICB Policy	y:	
4.6	Remodelling of External Ear Lobe Use of Sinus X-ray	Lobe CMICB_Clin45 – Split (cleft) Earlobe, surgical repair			
4.7 Rhinoplasty - Surgery to Reshape  CMICB Clin44 – Sinus X-Ray  This policy has been superseded by NHS Cheshire 8		by NHS Cheshire & Merseyside ICB Poli	icy:		
4.8	the Nose Septorhinoplasty	CMICB_Clin102 - Reshaping the nose (Rhinoplasty / Septoplasty): surgical management to address cosmetic appearance or associated respiratory impairment			
4.9	Surgery of Laser Treatment of		y NHS Cheshire & Merseyside ICB Policy	y:	
		CMICB_Clin41 - Rhinophym			

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
4.10	Ear Wax removal including microsuction (excluding primary care)	This policy has been superseded by NHS Ch  CMICB Clin057 – Interim policy, Ear wax remo	•	
5. E	Equipment			
5.1	Use of Lycra Suits	This policy has been superseded by NHS Ch  CMICB Clin071 – Lycra™ Suits and Orthotics		
6. F	ertility			
6.1	Infertility Treatment for Subfertility e.g. medicines, surgical procedures and assisted conception. This also includes reversal of vasectomy or female sterilisation.	See separate Place based policies.	CG156 Fertility: Assessment and treatment for people with fertility problems – NICE 2013.  Contraception – sterilization – NICE Clinical Knowledge Summaries 2012 http://cks.nice.org.uk/contraception-sterilization#!scenario	Individual CCG addendums apply.
7. (	General Surgery			•
7.1	Haemorrhoidectomy - Rectal Surgery  Removal of Haemorrhoidal Skin Tags	This policy has been superseded by NHS Ch  CMICB_Clin024 – Haemorrhoids, surgical ma		
7.2	Surgery for Treatment of Asymptomatic	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin083 - Minimally symptomatic inquinal hermia repair		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments	
	Incisional and Ventral Hernias				
	Surgical correction of Diastasis of the	This policy has been superseded by NHS Che			
7.3	Recti Surgery for Asymptomatic Gallstones	CMICB_Clin014 – Diastasis (divarication) of the CMICB_Clin021 – Gallstones (Asymptomatic)	eshire & Merseyside ICB Policy:		
7.4	Lithotripsy for Gallstones	Lithotripsy not routinely commissioned.		Lithotripsy rarely performed as rate of recurrence is high.	
7.5	Rectopexy and STARR (Stapled Transanal Resection of the Rectum)	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin108 – Rectal Prolapse (Internal or External), Surgical Management Policy			
8. (	Synaecology				
8.1	Surgical Procedures  – for the Treatment of Heavy Menstrual Bleeding Hysterectomy with or without Oophrectomy	This policy has been superseded by NHS Che  CMICB Clin026 – Heavy Menstrual Bleeding.			
8.2	D&C (dilatation and curettage)	This policy has been superseded by NHS Che  CMICB_Clin025 - Heavy Menstrual Bleeding.	•		
8.3	Hysteroscopy	This policy has been superseded by NHS Che			

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
8.4	Fibroid Embolisation / uterine artery embolisation	This policy has been superseded by NHS Cho  CMICB_Clin075 – Fibroids (myoma, leiomyo		
8.5	Surgical correction of vaginal/ uterovaginal prolapse	This policy has been superseded by NHS Che  CMICB Clin095 - Vaginal / Uterovaginal F		
8.6	Secondary Care follow up of mirena coil insertion	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin078 – Intrauterine devices: secondary care checking following insertion		
<b>9.</b> .l	Mental Health			
9.1	Inpatient Care for Treatment of Chronic Fatigue Syndrome (CFS)	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin066 - Chronic fatigue syndrome/Myalgic Encephalomyelitis (CFS/ME): Inpatient Management		
9.2	Gender Dysphoria	This policy has been superseded by NHS Che CMICB_Clin069 – Gender incongruence set		
9.3	Non-NHS Drug and Alcohol Rehabilitation (non- NHS commissioned services)	This policy has been superseded by NHS Che CMICB_Clin072 – Private Drug and Alcohol		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
9.4	Private Mental Health (MH) Care - Non-NHS Commissioned Services: including Psychotherapy, adult eating disorders, general in-patient care,post- traumatic stress adolescent mental health	This policy has been superseded by NHS Che		5
10. 1	Neurology			
10.1	Bobath Therapy	This policy has been superseded by NHS Che <u>CMICB_Clin063 - Bobath Therapy</u>	eshire & Merseyside ICB Policy:	
10.2	Trophic Electrical Stimulation for Facial/Bells Palsy	This policy has been superseded by NHS Che CMICB Clin062 – Idiopathic Facial Paralysis (	•	
10.3	Functional Electrical Stimulation (FES)	This policy has been superseded by NHS Che CMICB_Clin064 – Foot Drop, Functional Elect	•	
110	Ophthalmology			

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
11.1	Upper Lid Blepharoplasty - Surgery on the Upper Eyelid	This policy has been superseded by NHS Che	eshire & Merseyside ICB Policy:	
11.2	Lower Lid Blepharoplasty - Surgery on the Lower Eyelid.	CMICB Clin096 - Blepharoplasty and Ptosis S	<u>Surgery</u>	
11.3	Surgical Treatments for Xanthelasma Palpebrum (fatty deposits on the eyelids)	This policy has been superseded by NHS Che <u>CMICB_Clin005 – Benign skin lesions</u>	eshire & Merseyside ICB Policy:	
11.4	Surgery or Laser Treatment for Short Sightedness (myopia) or Long Sightedness (hypermetropia)	This policy has been superseded by NHS Che CMICB_Clin034 - Myopia, Hyperopia and Ast		
11.5	Cataract Surgery	This policy has been superseded by NHS Che <u>CMICB Clin097 – Cataract Surgery</u>	eshire & Merseyside ICB Policy:	
11.6	Coloured (irlens) Filters for Treatment of Dyslexia	This policy has been superseded by NHS Che CMICB_Clin017 - Visual stress and reading		ters or lenses
11.7	Intra Ocular Telescope for Advanced Age- Related Macular Degeneration	This policy has been superseded by NHS Che		ope (IMT)

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
11.8	Surgical Removal of Chalazion or Meibomian Cysts	This policy has been superseded by NHS Che  CMICB_Clin011 - Chalazia (meibomian cysts)		
11.9	Surgical treatment for Proptosis/ Dysthyroid eye disease	Only commissioned if:	http://patient.info/doctor/thyroid-eye-disease-pro	
11.10	Photodynamic Therapy for ARMD	This policy has been superseded by NHS Che <u>CMICB Clin079 – Age Related Macular Dec</u>		У
11.11	Multifocal (non- accommodative) intraocular lenses	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin003 – Age Related Macular Degeneration (AMD) – implantable miniature telescope (IMT)		
12. C	Pral Surgery			
12.1	Surgical Replacement of the Temporo- Mandibular Joint	This policy has been superseded by NHS Che CMICB Clin093 – Temporomandibular joint		
	Temporo- Mandibular Joint Dysfunction Syndrome & Joint Replacement			
13. P	aediatrics			
13.1	Cranial Banding for Positional Plagiocephaly	This policy has been superseded by NHS Che CMICB_Clin039 - Positional Plagiocephaly/br	•	

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
14 1	Plastic & Cosmetic	Surgery		
14.1	Reduction Mammoplasty - Female Breast Reduction	This policy for breast reduction when used to ICB Policy:  CMICB_Clin081 - Breast symmetrisation sure that the policy for standalone breast reduction has Policy:  CMICB_Clin007 - Breast Reduction	rgery for breast asymmetry	·
14.2	Augmentation Mammoplasty - Breast Enlargement	This policy for breast augmentation has been  CMICB Clin081 - Breast symmetrisation sur		ICB Policy:
14.3	Unharmonised Cheshire East and West / Wirral policy –  Removal and/or Replacement of Silicone Implants - Revision of Breast Augmentation	Revisional surgery will ONLY be considered if the NHS commissioned the original surgery and complications arise which necessitates surgical intervention.  If revisional surgery is being carried out for implant failure, the decision to replace the implant(s) rather than simply remove them will be based upon the clinical need for replacement and whether the patient meets the policy for augmentation at the time of revision.	Procedures of Limited Clinical Effectiveness Phase 1 - Consolidation and repository of the existing evidence-base - London Health Observatory 2010.  Health Commission Wales. 2008 Commissioning Criteria - Plastic Surgery. Procedures of Low Clinical Priority/ Procedures not usually available on the National Health Service  Poly Implant Prothèse (PIP) breast implants: final report of the Expert Group	1 in 5 implants need replacing within 10 years regardless of make.  Prior to implant insertion all patients explicitly be made aware of the possibilities of complications, implant life span, the need for possible removal of the implant at a future date and that future policy may differ from current policy.
		Non-core procedure Interim Gender Dysphoria Protocol & Service Guidelines	Department of Health (June 2012).	Patients should be made

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
		2013/14.  Where the provision of "non-core" surgeries is appropriate, the GIC should apply for treatment funding through the CCG; the GIC should endeavour to work in partnership with the CCG.	Interim Gender Dysphoria Protocol & Service Guidelines 2013/14.  NHS England interim protocol NHS England (2013).  Pages 13 & 14 describe non-core NHS England & CCG commissioning responsibilities.	aware that implant removal in the future might not be automatically followed by replacement of the implant.
14.3	Unharmonised Mersey policy –  Removal and/or Replacement of Silicone Implants - Revision of Breast Augmentation  (This policy covers Liverpool Place, Sefton Place, St Helens Place, Knowsley Place, Warrington Place, Halton Place)	Removal and/or replacement of silicone implants is not routinely commissioned.  The removal of ruptured silicone implants will only be commissioned in the following circumstances: Where a patient has implants that have ruptured or failed, the patient should be referred back to the provider of the implants.  If the clinic no longer exists or refuses to remove the implants, the NHS will remove ruptured implants or implants that have failed only but will not replace them.	Poly Implant Prothèse (PIP) breast implants: final report of the Expert Group  Department of Health (June 2012).  NHS Choices: PIP breast implants http://www.nhs.uk/Conditions/PIP-implants/Pages/Introduction.aspx  NHS Choices: Breast Enlargement http://www.nhs.uk/Conditions/cosmetic-treatments-guide/Pages/breast-enlargement.aspx  Health Commission Wales. 2008  Commissioning Criteria — Plastic Surgery.  Procedures of Low Clinical Priority/ Procedures not usually available on the National Health Service	COSMETIC SURGERY Cosmetic surgery is often carried out to change a person's appearance in order to achieve what they perceive to be a more desirable look. Cosmetic surgery/treatments are regarded as procedures of low clinical priority and therefore not routinely funded by the CCG Commissioner.  1. CCG Commissioners require clear evidence of clinical effectiveness before NHS resources are invested in the treatment.  2. CCG Commissioner require clear evidence of cost effectiveness before NHS resources are invested in the treatment

reatment / rocedure	Eligibility Criteria	Evidence	Comments
			3. The cost of the treatment for this patient and others within any anticipated cohort is a relevant factor.  4. CCG Commissioners will consider the extent to which the individual or patient group will gain a benefit from the treatment  5. CCG Commissioners will balance the needs of each individual against the benefit which could be gained by alternative investment possibilities to meet the needs of the community  6. CCG Commissioners will consider all relevant national standards and take into account all proper and authoritative guidance  7. Where a treatment is approved CCG Commissioners will respect patient choice as to where a treatment is delivered.
			A good summary of Cosmetic Surgery is provided by NHS Choices. Weblink:

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
				http://www.nhs.uk/condition s/Cosmetic- surgery/Pages/Introduction. aspx and http://www.nhs.uk/Condition s/Cosmetic- surgery/Pages/Procedures. aspx
14.4	Mastopexy - Breast Lift	This policy has been superseded by NHS Cho	eshire & Merseyside ICB Policy:	
14.5	Surgical Correction of Nipple Inversion	This policy has been superseded by NHS Cho		
14.6	Male Breast Reduction Surgery for Gynaecomastia	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin113 – Gynaecomastia surgery		
14.7	Hair Removal Treatments including Depilation Laser Treatment or Electrolysis – for Hirsutism	This policy has been superseded by NHS Che	atment (photo-epilation, laser or electrolysis)	
14.8	Surgical Treatment for Pigeon Chest	This policy has been superseded by NHS Che CMICB_Clin038 – Pectus Deformity, surgical		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments	
14.9	Surgical Revision of Scars	This policy has been superseded by NHS Ch  CMICB_Clin103- Scars, surgical revision			
14.10	Laser Tattoo Removal	This policy has been superseded by NHS Che  CMICB Clin056 – Tattoo - laser removal	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:		
14.11	Apronectomy or Abdominoplasty (Tummy Tuck)	This policy has been superseded by NHS Che  CMICB_Clin099 – Abdominoplasty or Apron			
14.12	Other Skin Excisions/ Body Contouring Surgery e.g. Buttock Lift, Thigh Lift, Arm Lift (Brachioplasty)	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB Clin006 – Body Contouring and other excisions - Buttock lift, thigh lift (thighplasty) and arm lift (brachioplasty)			
14.13	Treatments to Correct Hair Loss for Alopecia	This policy has been superseded by NHS Che	eshire & Mersevside ICB Policv:		
14.14	Hair Transplantation	CMICB Clin052- Correction of hair loss: Alop	•		
14.15	Treatments to Correct Male Pattern Baldness				
14.16	Labiaplasty, Vaginoplasty and Hymenorrhaphy	This policy has been superseded by NHS Che CMICB Clin077 – Labiaplasty, vaginoplasty	•		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments	
14.17	Liposuction	his policy has been superseded by NHS Cheshire & Merseyside ICB Policy:			
		CMICB_Clin0100 - Liposuction			
14.18	Rhytidectomy -	This policy has been superseded by NHS Che	eshire & Merseyside ICB Policy:		
	Face or Brow Lift	CMICB Clin042 – Rhytidectomy			
14.19	All procedures	This policy has been superseded by NHS Che	eshire & Merseyside ICB Policy:		
	undertaken on cosmetic grounds	CMICB_Clin013 – Cosmetic Procedures			
15. R	Respiratory				
15.1					
	Sodium Tetradecyl Sulfate (STS) Injection or 'snoreplasty'				
	Uvulopalatoplasty and Uvulopalatopharyng opl asy				
15.2	Investigations and treatment for Sleep Apnoea	This policy has been superseded by NHS Che  CMICB_Clin074 – Sleep Apnoea or Narcole			

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments	
15.3	Sleep studies/ Hypersomnia	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin074 – Sleep Apnoea or Narcolepsy referral and management			
16.	Trauma & Orthopa	edics			
16.1	Low back pain and sciatica in over 16's Diagnostic, Interventions and Treatments for acute and chronic low back pain.	See the sections below and new policy for Sp  CMICB_Clin060 – Spinal Injections for Low Ba	•		
16.2	Radiofrequency Facet Joint Denervation	This policy has been superseded by NHS Cho CMICB_Clin089 - Chronic Low Back Pain, I			
16.3	Fusion	This policy has been superseded by NHS Che  CMICB_Clin087 – Spinal fusion surgery for			
16.4	Epidural Injection	This policy has been superseded by NHS Cho  CMICB Clin060 – Spinal Injections for Low Ba			
16.5	Spinal Decompression	This policy has been superseded by NHS C  CMICB_Clin088 – Spinal decompression for	heshire & Merseyside ICB Policy:  low back pain and sciatica policy (adults age	ed 16 years or older)	
16.6	Endoscopic Laser Foraminoplasty	This policy has been superseded by NHS Che  CMICB_Clin018 – Endoscopic Laser Foramin			

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
16.7	Peripheral Nerve- field Stimulation (PNFS) for Chronic Low Back Pain	This policy has been superseded by NHS Che  CMICB_Clin012 - Chronic Low Back Pain, Pe		
16.8	Endoscopic Lumbar Decompression	This policy has been superseded by NHS CI	heshire & Mersevside ICB Policy:	
16.9	Percutaneous Disc Decompression using Coblation for Lower Back Pain		low back pain and sciatica policy (adults age	ed 16 years or older)
16.10	Non-Rigid Stabilisation Techniques	This policy has been superseded by NHS Che CMICB_Clin090 – Non-rigid stabilisation tec		umbar spine
16.11	Lateral (including extreme, extra and direct lateral) Interbody Fusion in the Lumbar Spine	This policy has been superseded by NHS Che		
16.12	Percutaneous Intradiscal Laser Ablation in the Lumbar Spine	This policy has been superseded by NHS Cl  CMICB_Clin088 – Spinal decompression for	heshire & Merseyside ICB Policy:  low back pain and sciatica policy (adults age	ed 16 years or older)
16.13	Transaxial Interbody Lumbosacral Fusion	This policy has been superseded by NHS Che		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
16.14	Therapeutic Endoscopic Division of Epidural Adhesions	This policy has been superseded by NHS Che CMICB_Clin019 – Epidural Adhesions, Thera		
16.15	Automated Percutaneous Mechanical Lumbar Discectomy	This policy has been superseded by NHS Cl CMICB_Clin088 – Spinal decompression for	heshire & Merseyside ICB Policy: r low back pain and sciatica policy (adults age	ed 16 years or older)
16.16	Prosthetic Intervertebral Disc Replacement in the Lumbar Spine	This policy has been superseded by NHS Che CMICB Clin029 – Low back pain, disc replacem		
16.17	Bone Morphogenetic Proteins - Dibotermin Alfa; Eptotermin Alpha	Dibotermin alfa is commissioned in the following situation:  The treatment of acute tibia fractures in adults, as an adjunct to standard care using open fracture reduction and intramedullary unreamed nail fixation.  Eptotermin alfa is commissioned in line with its licensed indication:  Treatment of non-union of tibia of at least 9 month duration, secondary to trauma, in skeletally mature patients, in cases where previous treatment with autograft has failed or use of autograft is unfeasible.	Clinical effectiveness and cost- effectiveness of bone morphogenetic proteins in the non-healing of fractures and spinal fusion: a systematic review Health Technology Assessment NHS R&D HTA Programme, 2007.  Clinical effectiveness and cost-effect [Health Technol Assess. 2007] - PubMed - NCBI  Annals of Internal Medicine   Safety and Effectiveness of Recombinant Human Bone Morphogenetic Protein-2 for Spinal Fusion: A Meta-analysis of Individual- Participant Data June 2013	

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
			BMPs: Options, indications, and effectiveness – Journal of Orthopaed Trauma. 2010 Mar;24 Suppl 1:S9-16	
16.18	Surgery for Trigger Finger	This policy has been superseded by  CMICB_Clin048 - Trigger Finger rele	NHS Cheshire & Merseyside ICB Policy:  ease in adults	
16.19	Hyaluronic Acid and Derivatives Injections for Peripheral Joint Pain		NHS Cheshire & Merseyside ICB Policy:  uced changes in peripheral joints (knee, hips, a	nkle & thumb), intra-articular
16.20	Secondary Care Administered Steroid Joint Injections	CMICB_Clin037 - Osteoarthritis-inde	NHS Cheshire & Merseyside ICB Policy:  uced joint pain, secondary care administration of	of intra-articular corticosteroids
16.21	Dupuytren's Disease Palmar Fasciectomy/Needle Faciotomy	This policy has been superseded by <u>CMICB_Clin016 – Dupuytren's Cor</u>	NHS Cheshire & Merseyside ICB Policy: <a href="https://doi.org/10.1007/journal.com/">httracture release in adults</a>	
	Radiotherapy Collagenase Injections for Dupuytren's Disease			
	Dupuytren's Disease Surgical treatment			
	Dupuytrens			

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
	Contracture – conservative treatment			
16.24	Hip and Knee Replacement Surgery & Hip Resurfacing	This policy has been superseded by NHS Che  CMICB_Clin084 – Hip and knee replacement		
16.25	Diagnostic Arthroscopy for Arthritis of the Knee	This policy has been superseded by NHS Che <u>CMICB_Clin004</u> – Arthroscopic Surgery of the		
16.26	Arthroscopic Lavage and Debridement for Osteoarthritis of the Knee	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin028 – Knee Osteoarthritis, Arthroscopic Lavage and Debridement		
16.27	Patient Specific Unicompartmental Knee Replacement	This policy has been superseded by NHS Che  ICB Policy CMICB_Clin094 – Patient-specific		
16.28	Patient Specific Total Knee Replacement	This policy has been superseded by NHS Che		
16.29	Surgical Treatment for Carpal Tunnel Syndrome	This policy has been superseded by NHS Che		
16.30	Nerve Conduction Studies for Carpal Tunnel Syndrome	This policy has been superseded by NHS Che CMICB_Clin112 – Carpal Tunnel Syndrome,		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments		
16.31	Surgical Removal of Mucoid Cysts at Distal Inter Phalangeal Joint (DIP)	This policy has been superseded by NH  CMICB_Clin033 – Mucoid Cysts of the	·			
16.32	Surgical Removal of Ganglions		This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin022 - Ganglia, surgical removal and general management			
16.33	Hip Arthroscopy for Femoro–Acetabular Impingement	This policy has been superseded by NE CMICB_Clin085 – Femoroacetabular in	·			
16.34	Surgical Removal of Bunions/Surgery for Lesser Toe Deformity	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB Clin008 – Bunions, surgical removal				
16.35	Surgical Treatment of Morton's Neuroma	This policy has been superseded by NECMICB_Clin032 – Morton's Neuroma, s	·	icy:		
16.36	Surgical Treatment of Plantar Fasciitis	This policy has been superseded by NH <u>CMICB_Clin091 – Plantar fasciitis -</u>	·	icy:		
16.37	Treatment of Tendinopathies Extracorporeal Shock Wave Therapy Autologous Blood or Platelet Injection	This policy has been superseded by NH  CMICB_Clin001 - Achilles Tendinopath shockwave therapy, autologous blood of	y, Refractory Tennis Elbow and Pla	icy: antar Fasciitis: treatment with extracorporeal		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments		
16.38	Injections for Tendonitis (Jumpers Knee)	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin061 – Patellar tendinopathy (jumper's knee) injection into the patellar tendon				
16.39	Shoulder Arthroscopy (including arthroscopic shoulder decompression for subacromial shoulder pain)	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin092 – Subacromial shoulder pain, arthroscopic shoulder decompression surgery				
16.40	Hip Injections	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin059 – Hip pain, intra-articular injections of corticosteroids				
17. U	lrology					
17.1	Circumcision	This policy has been superseded by NHS Che <u>CMICB_Clin104 – Penile circumcision in chil</u>		S years		
17.2	Penile Implant: A Surgical Procedure to Implant a Device into the Penis	This policy has been superseded by NHS Che CMICB_Clin020 – Erectile dysfunction, penile	prosthesis surgery			
17.3	Erectile Dysfunction - secondary care	This policy has been superseded by NHS Che  CMICB_Clin110 - Erectile Dysfunction - sec				

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments	
17.4	Male sterilisation under Local Anaesthetic	This policy has been superseded by NHS Che	eshire & Merseyside ICB Policy:		
	Male sterilisation under General Anaesthetic		CMICB_Clin106 - Male Sterilisation - secondary care management		
17.5	Reversal of Male Sterilisation	his policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CB Policy CMICB_Clin040 – Reversal of Male Sterilisation			
17.6	ESWT (extracorporeal shockwave therapy) for Prostadynia or Pelvic Floor Syndrome		This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB Clin111 – Chronic Pelvic Pain Syndrome in Men, Hyperthermia, Extracorporeal Shockwave Therapy and Sacral Neuromodulation		
17.7	Hyperthermia Treatment for Prostadynia or Pelvic Floor Syndrome	This policy has been superseded by NHS Che  CMICB Clin111 – Chronic Pelvic Pain Syndro  Neuromodulation		ockwave Therapy and Sacral	
17.8	Surgery for Prostatism	This policy has been superseded by NHS Che CMICB Clin107 – Benign prostatic hyperplas		ıl referral	
17.9	Surgical treatment for Hydroceles – adults and children	This policy has been superseded by NHS Che <u>CMICB_Clin105 – Hydrocele - Surgical mana</u>	•		
17.10	Surgical removal of benign epididymal cysts	This policy has been superseded by NHS Che CMICB_Clin109 - Benign epididymal cyst (spe	•		

	Treatment / Procedure	Eligibility Criteria	Evidence	Comments		
18. \	 /ascular					
18.1	Surgery for Extreme Sweating	This policy has been superseded by NHS Ch				
	.Hyperhydrosis – all areas	CMICB_Clinu27 – Hypernidrosis (excessive s	CMICB_Clin027 – Hyperhidrosis (excessive sweating), Surgical Management			
	Surgical Resection Endoscopic Thoracic Sympathectomy					
18.2	Chelation Therapy for Vascular Occlusions	This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:  CMICB_Clin015 - Disodium Ethylenediaminetetraacetic Acid (EDTA) in prevention of Cardiovascular Events in patients with a previous Myocardial Infarction				
18.3	Interim Policy Varicose Veins Interventional Treatments	This policy has been superseded by NHS Ch  CMICB_Clin049 – Interim Varicose Veins	eshire & Merseyside ICB Policy:			
190	Other					
19.1	Botulinum Toxin A & B Used in several types of procedures e.g. to treat muscle disorders, excessive sweating hyperhidrosis) and migraine.	<ul> <li>The use of botulinum toxin type A is commissioned in the following indications:</li> <li>Anal fissures only following a minimum of two months with standard treatment (lifestyle and topical pharmaceutical products) for chronic anal fissures that have not resulted in fissure healing; and only a maximum of 2 courses of injections.</li> </ul>	NICE TA260 June 2012 – Migraine (chronic) botulinum toxin type A <a href="http://guidance.nice.org.uk/TA260">http://guidance.nice.org.uk/TA260</a> Idiopathic detrusor instability - only commissioned in accordance with NICE CG171 Sept 2013 - Urinary incontinence in women <a href="http://guidance.nice.org.uk/CG171">http://guidance.nice.org.uk/CG171</a>			

Treatment / Procedure	Eligibility Criteria	Evidence	Comments
	<ul> <li>Blepharospasm and hemifacial spasm.</li> <li>Probable contracture of joint in multiple sclerosis, in conjunction with prolonged stretching modalities (i.e. in line with NICE Clinical Guideline 8). http://guidance.nice.org.uk/CG8</li> <li>Focal dystonia, where other measures are inappropriate or ineffective.</li> <li>Focal spasticity in patients with upper motor neurone syndrome, caused by cerebral palsy, stroke, acquired brain injury, multiple sclerosis, spinal cord injuries and neurodegenerative disease, where other measures are inappropriate or ineffective.</li> <li>Idiopathic cervical dystonia (spasmodic torticollis).</li> <li>Prophylaxis of headaches in adults with chronic migraine (defined as headaches on at least 15 days per month of which at least 8 days are with migraine) that has not responded to at least three prior pharmacological prophylaxis therapies, and whose condition is appropriately managed for medication overuse (i.e. in line with NICE Technology Appraisal 260). http://guidance.nice.org.uk/TA260</li> <li>Refractory detrusitor overactivity, only line with NICE Clinical Guideline 171 (women) http://guidance.nice.org.uk/CG171 and Clinical Guideline 97 (men)</li> </ul>	Diagnosis and management of hyperhidrosis British Medical Journal.	

Treatment / Procedure	Eligibility Criteria	Evidence	Comments
	http://guidance.nice.org.uk/CG97 where conservative therapy and conventional drug treatment has failed to control symptoms.  • Sialorrhoea (excessive salivary drooling), when all other treatments have failed.		
	Botulinum toxin type A is not routinely commissioned in the following indications:  • Canthal lines (crow's feet) and glabellar (frown) lines.  • Hyperhidrosis.  • Any other indication that is not listed above		
	The use of Botulinum Type B is not routinely commissioned.		
	Where the use of botulinum toxin is used to treat an indication outside of the manufacturer's marketing authorisation, clinicians and patients should be aware of the particular governance requirements, including consent (which must be documented) for using drugs outside of their licensed indications.		
	For patients with conditions which are not routinely commissioned, as indicated above, requests will continue to be considered by		


	Treatment / Procedure	Eligibility Criteria	Evidence	Comments
		Cheshire & Wirral Clinical Commissioning Groups processes for individual funding requests, if there is evidence that the patient is considered to have clinically exceptional circumstances to any other patient experiencing the same condition within Cheshire & Wirral.		
		Requests to commission the use of botulinum toxin as an option to treat other indications, where a known cohort of patients can be identified, should be processed in accordance with the relevant CCG's defined processes.		
		If a subsequent CCG approved policy supersedes the information above, this section will be reviewed and updated.		
19.2	Correction of privately funded treatment	This policy has been superseded by NHS Che CMICB_Clin068 - NHS management of pa		ely
19.3	Planned routine monitoring following Privately Funded Bariatric Surgery	CMICB_Clin119 - Planned routine monito	ring following Privately Funded Bariatric S	Surgery
19.4	Open MRI	This policy has been superseded by NHS Cho	eshire & Merseyside ICB Policy:	

# J. Appendix 1 – Cataract Referral Guide

This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:

CMICB\_Clin097 - Cataract Surgery

# L. Appendix 2 – IEFR Process



# M. Appendix 3 – IEFR Panel Contact Details

IFR contact information follows, however please refer to the ICB IFR policy for more information:

CONFIDENTIAL

1829 Building – Mail Account
Individual Funding Request Team (MLCSU)
Countess of Chester Hospital NHS Foundation Trust
Liverpool Road, CHESTER, Cheshire CH2 1UL
Telephone: 01782 916876

Email address - Ifr.manager@nhs.net

# N. Appendix 4 – Fusion Surgery – Clinical exceptions permitted

This policy has been superseded by NHS Cheshire & Merseyside ICB Policy:

CMICB\_Clin087 - Spinal fusion surgery for non-specific, mechanical back pain